## **EAST Search History**

## EAST Search History (Prior Art)

| Ref# | Hits    | Search Query  | DBs                          | Default<br>Operator | Plurals | Time Stamp          |
|------|---------|---|------------------------------|---------------------|---------|---------------------|
| L1   | 38      | (evaluation and quantum and measur\$3).<br>clm.   | US-PGPUB;<br>USPAT;<br>USOCR | OR                  | ON      | 2010/08/09<br>10:23 |
| L2   | 3       | (evaluation and quantum and measur\$3<br>and dispersion).clm.   | US-PGPUB;<br>USPAT;<br>USOCR | OR                  | ON      | 2010/08/09<br>10:23 |
| L3   | 1       | dis\$tribut\$7 with traffic and 370/351,357,229,230,230.1.ccls. and "20030807"  | US-PGPUB;<br>USPAT           | OR                  | ON      | 2010/08/09<br>10:25 |
| L4   | 239     | dis\$tribut\$7 with traffic and 370/351,357. ccls.  | US-PGPUB;<br>USPAT           | OR                  | ON      | 2010/08/09<br>10:25 |
| L5   | 79      | dis\$tribut\$7 with traffic and 379/111,112.01,112.06,112.1.cds.  | US-PGPUB;<br>USPAT           | OR                  | ON      | 2010/08/09<br>10:25 |
| L6   | 989     | dis\$tribut\$7 with traffic and 370/351,357,229,230,230.1.cds.  | US-PGPUB;<br>USPAT           | OR                  | ON      | 2010/08/09<br>10:25 |
| L7   | 30      | (measur\$5 or evaluat\$3 or count\$5) with (correspon\$5 or base\$0n or based\$0n or according or depend\$5) near3 (routing near3 rule or protocol) and "370"/\$.ccls. and @ad<"20030807" | US-PGPUB;<br>USPAT;<br>USOCR | OR                  | ON      | 2010/08/09<br>10:25 |
| S1   | 1       | 10/566993.app.  | US-PGPUB;<br>USPAT           | OR                  | ON      | 2008/10/31<br>14:05 |
| S2   | 188     | dis\$tribut\$7 with traffic and 370/351,357. ccls.  | US-PGPUB;<br>USPAT           | OR                  | ON      | 2008/10/31<br>14:38 |
| S3   | 182     | dis\$tribut\$7 with traffic and rout\$3 and 370/351,357.cds.  | US-PGPUB;<br>USPAT           | OR                  | ON      | 2008/10/31<br>14:47 |
| S4   | 15      | generat\$7 near3 traffic\$3 and S3  | US-PGPUB;<br>USPAT           | OR                  | ON      | 2008/10/31<br>14:50 |
| S5   | 1       | dis\$tribut\$7 with traffic and 370/351,357. ccls. and "20030807"   | US-PGPUB;<br>USPAT           | OR                  | ON      | 2008/10/31<br>14:51 |
| S8   | 8696    | dis\$tribut\$7 with traffic and<br>@ad<"20030807"   | US-PGPUB;<br>USPAT           | OR                  | ON      | 2008/10/31<br>14:52 |
| S9   | 116     | dis\$tribut\$7 with traffic and 370/351,357. ccls. and @ad<"20030807"   | US-PGPUB;<br>USPAT           | OR                  | ON      | 2008/10/31<br>14:53 |
| S11  | 3       | increa\$7 same generat\$7 near3 traffic\$3<br>and S3  | US-PGPUB;<br>USPAT           | OR                  | ON      | 2008/10/31<br>14:54 |
| S12  | 16      | generat\$7 near3 traffic\$3 and statistica\$7<br>with representa\$7 with traffic\$3   | US-PGPUB;<br>USPAT           | OR                  | ON      | 2008/10/31<br>14:56 |
| S14  | 6       | generat\$7 near3 traffic\$3 and statistica\$7<br>with representa\$7 with traffic\$3 and<br>@ad<"20030807"   | US-PGPUB;<br>USPAT           | OR                  | ON      | 2008/10/31<br>14:57 |
| S15  | 1       | "6873600".pn.   | US-PGPUB;<br>USPAT           | OR                  | ON      | 2008/11/03<br>09:05 |
| S16  | 1379918 | measur\$7 same assign\$3 (capacit\$3)   | US-PGPUB;<br>USPAT           | OR                  | ON      | 2008/11/05<br>08:52 |

7,000,000,000,000,000

| S17 | 67  | (measur\$7 near3 (traffic or load\$3)) same<br>(assign\$3 with (capacit\$3 or band\$width<br>\$3)) and @ad<"20030807"  | US-PGPUB;<br>USPAT           | OR | ON | 2008/11/05<br>08:53 |
|-----|-----|--|------------------------------|----|----|---------------------|
| S18 | 48  | ((capacit\$3 or band\$width\$3) near3 alloca<br>\$7 ) with (traffic near3 condition\$3) and<br>@ad<"20030807"  | US-PGPUB;<br>USPAT           | OR | ON | 2008/11/05<br>09:09 |
| S19 | 1   | ((marco near3 areddu) or (riccardo near3 arizio) or (claudio near3 claretto) or (luigi near3 martino) or (gabriele near3 gentile) or (riccardo near3 russo)),in. and (traffic and quantums and distribution and dispersion),clm. | US-PGPUB;<br>USPAT           | OR | ON | 2008/11/06<br>16:44 |
| S20 | 1   | ((marco near3 areddu) or (riccardo near3<br>arizio) or (daudio near3 claretto) or (luigi<br>near3 martino) or (gabriele near3 gentile)<br>or (riccardo near3 russo)).in. and (traffic<br>and quantums).clm.                      | US-PGPUB;<br>USPAT           | OR | ON | 2008/11/06<br>16:45 |
| S21 | 35  | (traffic and quantums ).clm.   | US-PGPUB;<br>USPAT           | OR | ON | 2008/11/06<br>16:45 |
| S22 | 1   | (traffic and quantums and dispersion ).clm.  | US-PGPUB;<br>USPAT           | OR | ON | 2008/11/06<br>16:46 |
| S23 | 1   | dis\$tribut\$7 with traffic and<br>370/351,357,229,230,230.1.ccls. and<br>"20030807"   | US-PGPUB;<br>USPAT           | OR | ON | 2008/11/06<br>16:47 |
| S24 | 750 | dis\$tribut\$7 with traffic and 370/351,357,229,230,230.1.ccls.  | US-PGPUB;<br>USPAT           | OR | ON | 2008/11/06<br>16:48 |
| S25 | 78  | dis\$tribut\$7 with traffic and 379/111,112.01,112.06,112.1.cols.  | US-PGPUB;<br>USPAT           | OR | ON | 2008/11/06<br>16:49 |
| S26 | 1   | 10/377155.app.   | US-PGPUB;<br>USPAT           | OR | ON | 2008/11/16<br>16:01 |
| S27 | 15  | assign\$7 with (traffic\$3 or load\$3) with under\$utili\$7 and @ad<"20030807"   | US-PGPUB;<br>USPAT           | OR | ON | 2008/11/16<br>16:23 |
| S28 | 1   | 10/566993.app.   | US-PGPUB;<br>USPAT           | OR | ON | 2008/11/16<br>17:52 |
| S29 | 16  | traffic with measur\$5 same (routing or rule<br>or model) and 370/241.ccls.  | US-PGPUB;<br>USPAT;<br>USOCR | OR | ON | 2009/05/22<br>14:39 |
| S30 | 3   | (traffic or flow or packet or data) with<br>(measur\$5 or evaluat\$3 or count\$5) with<br>(correspon\$5 or base\$0n or based\$0n or<br>according or depend\$5) with (routing or<br>rule or model) and 370/241.ccls.              | US-PGPUB;<br>USPAT;<br>USOCR | OR | ON | 2009/05/22<br>14:43 |
| S31 | 4   | (measur\$5 or evaluat\$3 or count\$5) with (correspon\$5 or base\$0n or based\$0n or according or depend\$5) with (routing or rule or model) and 370/241.cds.  | US-PGPUB;<br>USPAT;<br>USOCR | OR | ON | 2009/05/22<br>14:45 |
| S32 | 8   | (measur\$5 or evaluat\$3 or count\$5) with (correspon\$5 or base\$50 or base4\$50 or according or depend\$5 ) with (routing or rule or model or protocol) and 370/241. ccls.   | US-PGPUB;<br>USPAT;<br>USOCR | OR | ON | 2009/05/22<br>14:45 |
| S33 | 3   | (measur\$5 or evaluat\$3 or count\$5) with (correspon\$5 or base\$0 n or based\$0 n or according or depend\$5) with (routing or rule or model or protocol) and 370/241. ccls. and @ad<"20030807"                                 | US-PGPUB;<br>USPAT;<br>USOCR | OR | ON | 2009/05/22<br>14:47 |

| S34 | 219 | (measur\$5 or evaluat\$3 or count\$5) with (correspon\$5 or base\$50n or base4\$0n or according or depend\$5) with (routing or rule or model or protocol) and "370"/\$, ccls. and @ad<"20030807"   | US-PGPUB;<br>USPAT;<br>USOCR | OR | ON | 2009/05/22<br>14:56 |
|-----|-----|--|------------------------------|----|----|---------------------|
| S35 | 96  | (traffic or flow or packet or data) with (measur\$5 or evaluat\$3 or count\$5) with (correspon\$5 or base\$5 on or base\$6 on or according or depend\$5 ) with (routing or rule or model or protocol) and "370"/\$. ccls. and @ad<"20030807" | US-PGPUB;<br>USPAT;<br>USOCR | OR | ON | 2009/05/22<br>14:57 |
| S36 | 0   | (measur\$5 or evaluat\$3 or count\$5) with (correspon\$5 or base\$50n or base4\$on or according or depend\$5) with (routing near3 rule) and "370"/\$.cds. and @ad<"20030807"   | US-PGPUB;<br>USPAT;<br>USOCR | OR | ON | 2009/05/22<br>15:20 |
| S37 | 219 | (measur\$5 or evaluat\$3 or count\$5) with (correspon\$5 or base\$50n or base4\$50n or according or depend\$5) with (routing or rule or model or protocol) and "370"/\$, ccls. and @ad<"20030807"  | US-PGPUB;<br>USPAT;<br>USOCR | OR | ON | 2009/05/22<br>15:22 |
| S38 | 29  | (measur\$5 or evaluat\$3 or count\$5) with (correspon\$5 or base\$50n or base4\$50n or according or depend\$5) near3 (routing near3 rule or protocol) and "370"/\$.cds. and @ad<"20030807"   | US-PGPUB;<br>USPAT;<br>USOCR | OR | ON | 2009/05/22<br>15:23 |
| S39 | 49  | ((capacit\$3 or band\$width\$3) near3 alloca<br>\$7 ) with (traffic near3 condition\$3) and<br>@ad<"20030807"  | US-PGPUB;<br>USPAT           | OR | ON | 2010/01/07<br>13:48 |
| S40 | 18  | traffic with measur\$5 same (routing or rule<br>or model) and 370/241.ccls.  | US-PGPUB;<br>USPAT;<br>USOCR | OR | ON | 2010/01/07<br>13:48 |
| S41 | 29  | (measur\$5 or evaluat\$3 or count\$5) with (correspon\$5 or base\$50n or base4\$50n or according or depend\$5) near3 (routing near3 rule or protocol) and "370"/\$.cds. and @ad<"20030807"   | US-PGPUB;<br>USPAT;<br>USOCR | OR | ON | 2010/01/07<br>13:48 |
| S42 | 98  | (traffic or flow or packet or data) with (measur\$5 or evaluat\$3 or count\$5) with (correspon\$5 or base\$5 on or base\$5 on or according or depend\$5 ) with (routing or rule or model or protocol) and "370"/\$, ccls. and @ad< "2003807" | US-PGPUB;<br>USPAT;<br>USOCR | OR | ON | 2010/01/07<br>13:48 |
| S43 | 1   | "6157613".pn.  | US-PGPUB;<br>USPAT;<br>USOCR | OR | ON | 2010/01/07<br>14:49 |
| S44 | 0   | 11/292757.app.   | US-PGPUB;<br>USPAT;<br>USOCR | OR | ON | 2010/01/07<br>15:43 |
| S45 | 218 | dis\$tribut\$7 with traffic and rout\$3 and 370/351,357.cds.   | US-PGPUB;<br>USPAT           | OR | ON | 2010/01/13<br>17:12 |

8/9/2010 10:26:08 AM C:\ Documents and Settings\ fng\ My Documents\ EAST\ Workspaces\ 10566993.wsp